

# Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

<b>Establishment Name</b> TUMBLEWEED	<b>Telephone Number</b> Est 812-945-9333 Own 502-618-8357	<b>Date of Inspection</b> 06/15/2021	<b>ID#</b>		
<b>Address</b> 3005 CHARLESTOWN CROSSING WAY, NEW ALBANY					
<b>Owner</b> TW-INDIANA, LLC.	<b>Purpose</b> <u>    </u> Routine <u> X </u> Follow-up <u>    </u> Complaint <u>    </u> Pre-Operational <u>    </u> Temporary <u>    </u> HACCP <u>    </u> Other (list)	<b>Follow Up</b>	<b>Released</b> 06/25/2021		
<b>Owner's Address</b> 2301 RIVER ROAD SUITE 200 LOUISVILLE, KY 40206-					
<b>Person in Charge</b> ERIC LONG					
<b>Responsible Person's Email</b> CCX@TUMBLEWEEDINC.NET		<b>Menu Type</b> 1 <u>  </u> 2 <u>  </u> 3 <u> X </u> 4 <u>  </u> 5 <u>  </u>			
<b>Certified Food Handler</b> ERIC LONG					
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"					
<b>Section #</b>	<b>C</b>	<b>NC</b>	<b>R</b>	<b>Narrative</b>	<b>To Be Corrected</b>
430		X		Observed the wall in dining area to have water damage. Area should not be used for dining until wall is repaired. The establishment may now reopen.	6/25/21
<b>Summary of Violations</b> C <u>  0  </u> NC <u>  1  </u> R <u>  0  </u>					
Received by (name and title printed):				Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):				Inspected by (signature): <i>Thomas Snider</i>	
cc:		cc:		cc:	